



How to prevent open DNS resolver by setting up Windows Firewall

If Windows 7 runs open DNS resolver, we can avoid it by setting up Windows firewall. Please follow these steps.

- Open Control Panel, click "System and Security" and then click "Windows Firewall". In the left pane, click "Advanced settings".



- In the Windows Firewall with Advanced Security dialog box, and then set up step by step.
 1. In the left pane, click **Inbound Rules**.
 2. In the right pane, click **New Rule**.



- On the Rule Type page of the New Inbound Rule Wizard,

1. Click **Port**
2. Click **Next**



1. On the Protocol and Ports page, Click **UDP**.
2. Click **Specific Local Ports**
3. Type **53** in the text box
4. Click **Next**




1. On the Action page, select Block the connection.
2. Click **Next** to continue




1. Select all the profiles available for different type of connections (Domain, Private and Public).
2. Click **Next**



1. Give a name of the rule, Let me use “DNS_resolver” for example.
2. You can add description to the new rule (optional)
3. Click **Finish**



- Check the rule name appearing in Inbound Rules or not. Click **OK**, and finish the setting.



From: <https://net.nthu.edu.tw/netsys/> - 網路系統組

Permanent link: https://net.nthu.edu.tw/netsys/en:faq:setup_windows_firewall

Last update: **2018/08/22 11:22**

